

----- POPULATION ESTIMATES -----				----- Long-Term Care -----		----- Local Health Departments -----			
Total 2000 Population 39,860				Community Options and MA Waiver Programs					
Population per square mile 47									
County ranking in state ( 1-72) 35									
Age	Female	Male	Total	Clients	Costs	Staffing - FTE	Number	Per 10,000 Population	
0-14	3,780	3,760	7,550	COP	30	\$219,920	Total staff	16	4.1
15-19	2,080	2,100	4,170	MA Waiver *			Administrative	3	0.8
20-24	2,550	2,940	5,500	CIP1A	13	\$585,880	Professional staff	8	2.1
25-29	1,100	1,320	2,410	CIP1B	73	\$2,358,571	Technical/Paraprof.	.	.
30-34	1,170	1,230	2,400	CIP2	17	\$210,056	Support staff	5	1.3
35-39	1,320	1,380	2,700	COP-W	81	\$285,390	Funding Per capita		
40-44	1,350	1,400	2,750	CSLA	.	\$0	Total	\$826,380	\$20.73
45-54	2,450	2,540	4,990	Brain Injury	.	\$0	Local Taxes	\$432,452	\$10.85
55-64	1,450	1,470	2,920	Total COP/Wvrs	188	\$3,659,817	----- Licensed Establishments -----		
65-74	1,160	1,070	2,230	\$199,421 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.		Type	Capacity	Facilities	
75-84	910	660	1,570	* Waiver costs reported here include federal funding.		Bed & Breakfast	11	4	
85+	460	220	680			Camps	435	7	
Total	19,760	20,090	39,860			Hotels, Motels	337	9	
Age	Female	Male	Total	Clients	costs	Tourist Rooming	5	2	
0-17	4,650	4,650	9,310	Eligible and Waiting	57	n/a	Pools	18	
18-44	8,700	9,480	18,170	(Family Care not provided in county)		Restaurants		150	
45-64	3,900	4,010	7,910			Vending		2	
65+	2,530	1,950	4,480			----- WIC Participants -----			
Total	19,760	20,090	39,860						
Poverty Estimates for 1997									
Estimate (C.I.+/-)									
All ages	4,405	985		Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.		Pregnant/Postpartum		Number 429	
	11.9%	( 3%)				Infants		412	
Ages 0-17	1,624	411				Children, age 1-4		639	
	16.3%	( 4%)				Total		1,480	
----- Employment -----						----- Cancer Incidence -----			
Average wage for jobs covered by unemployment compensation \$25,625				Home Health Agencies 4					
Note: based on place of work				Patients 475					
				Patients per 10,000 pop. 119					
Annual Labor Force Estimates Average				Nursing Homes 4		Primary Site	1999 Number		
Civilian Labor Force 21,753				Licensed beds 355		Breast		17	
Number employed 20,989				Occupancy rate 80.8%		Cervical		1	
Number unemployed 764				Residents on Dec.31 297		Colorectal		21	
Unemployment rate 3.5%				Residents age 65 or older per 1,000 population 57		Trachea, Bronchus, Lung		13	
						Prostate		14	
						Other sites		33	
						Total		99	

## NATALITY

TOTAL LIVE BIRTHS			483	<u>Birth Order</u>		<u>Births</u>	<u>Percent</u>	<u>Marital Status of Mother</u>			<u>Births</u>	<u>Percent</u>		
Crude Live Birth Rate			12.1	First		180	37	Married			371	77		
General Fertility Rate			50.5	Second		164	34	Not married			111	23		
Live births with reported congenital anomalies			9	.	%	Third		70	14	Unknown			1	<.5
						Fourth or higher		69	14					
						Unknown		0	0					
<u>Delivery Type</u>			<u>Births</u>	<u>Percent</u>	<u>First Prenatal Visit</u>		<u>Births</u>	<u>Percent</u>	<u>Education of Mother</u>			<u>Births</u>	<u>Percent</u>	
Vaginal after					1st trimester		394	82	Elementary or less			9	2	
previous cesarean			20	4	2nd trimester		65	13	Some high school			35	7	
Forceps			1	<.5	3rd trimester		17	4	High school			164	34	
Other vaginal			378	78	No visits		2	<.5	Some college			141	29	
Primary cesarean			51	11	Unknown		5	1	College graduate			132	27	
Repeat cesarean			32	7										
Other or unknown			1	<.5										
<u>Birthweight</u>			<u>Births</u>	<u>Percent</u>	<u>Number of Prenatal Care visits</u>		<u>Births</u>	<u>Percent</u>	<u>Smoking Status of Mother</u>			<u>Births</u>	<u>Percent</u>	
<1,500 gm			4	0.8	No visits		2	<.5	Smoker			84	17	
1,500-2,499 gm			22	4.6	1-4		15	3	Nonsmoker			398	82	
2,500+ gm			457	94.6	5-9		103	21	Unknown			1	<.5	
Unknown			0	0	10-12		225	47						
					13+		133	28						
					Unknown		5	1						

<b>Race of Mother</b>	<b>Births</b>	<b>Percent</b>	<b>Low Birthweight (under 2,500 gm)</b>		<b>Trimester of First Prenatal Visit</b>					
			<b>Births</b>	<b>Percent</b>	<b>1st Trimester</b>		<b>2nd Trimester</b>		<b>Other/Unknown</b>	
White	458	95	22	4.8	381	83	57	12	20	4
Black	2	<.5	*	.	*	.	*	.	*	.
Other	23	5	4	17.4	13	57	7	30	3	13
Unknown	0	0	.	.	.	.	.	.	.	.

<b>Age of Mother</b>	<b>Fertility</b>		<b>Low Birthweight (under 2,500 gm)</b>		<b>Trimester of First Prenatal Visit</b>					
	<b>Births</b>	<b>Rate</b>	<b>Births</b>	<b>Percent</b>	<b>1st Trimester</b>		<b>2nd Trimester</b>		<b>Other/Unknown</b>	
<15	0	--	.	.	.	.	.	.	.	.
15-17	10	.	1	10.0	7	70	2	20	1	10
18-19	24	20	1	4.2	15	63	6	25	3	13
20-24	126	49	5	4.0	95	75	22	17	9	7
25-29	151	138	7	4.6	132	87	16	11	3	2
30-34	124	106	8	6.5	108	87	10	8	6	5
35-39	37	28	3	8.1	30	81	6	16	1	3
40+	11	.	1	9.1	7	64	3	27	1	9
Unknown	0	--	.	.	.	.	.	.	.	.

**Teenage Births**

34 16

\* Not reported: age or race category has less than 5 births

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

<u>Disease</u>	<u>Number</u>
Campylobacter Enteritis	14
Giardiasis	8
Hepatitis Type A	<5
Hepatitis Type B**	<5
Hepatitis NANB/C	5
Legionnaire's	<5
Lyme	28
Measles	***
Meningitis, Aseptic	<5
Meningitis, Bacterial	<5
Mumps	***
Pertussis	***
Salmonellosis	6
Shigellosis	<5
Tuberculosis	0

\* 2000 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	95
Genital Herpes	11
Gonorrhea	<5
Syphilis	0

## ----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	5,047
Non-compliant	34
Percent Compliant	99.3

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	280
Crude Death Rate	702

<u>Age</u>	<u>Deaths</u>	<u>Rate</u>
1-4	.	.
5-14	4	.
15-19	4	.
20-34	3	.
35-54	28	268
55-64	21	719
65-74	48	2,152
75-84	88	5,609
85+	82	12,148

Infant

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Infant	2	.
Neonatal	1	.
Postneonatal	1	.
Unknown	.	.

Race of Mother

White	1	.
Black	.	.
Other	1	.
Unknown	.	.

Birthweight

<1,500 gm	1	.
1,500-2,499 gm	1	.
2,500+ gm	.	.
Unknown	.	.

Perinatal

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Perinatal	3	.
Neonatal	1	.
Fetal	2	.

<u>Selected Underlying Cause</u>	<u>Deaths</u>	<u>Rate</u>
Heart Disease (total)	86	216
Ischemic heart disease	56	140
Cancer (total)	61	153
Trachea/Bronchus/Lung	9	.
Colorectal	5	.
Female Breast	7	.*
Cerebrovascular Disease	28	70
Lower Resp. Disease	14	.
Pneumonia & Influenza	9	.
Accidents	15	.
Motor vehicle	8	.
Diabetes	3	.
Infectious & Parasitic	.	.
Suicide	4	.

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	8	.
Other Drugs	2	.
Both Mentioned	3	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

<u>Type of Motor Vehicle Crash</u>	<u>Persons Injured</u>	<u>Persons Killed</u>
Total Crashes	471	5
Alcohol-Related	65	2
With Citation:		
For OWI	46	0
For Speeding	67	0
Motorcyclist	17	0
Bicyclist	9	0
Pedestrian	9	0

## HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>					
Total	290	7.3	3.4	\$8,256	\$60
<18	23	2.5	2.0	\$5,349	\$13
18-44	84	4.6	2.8	\$8,870	\$41
45-64	61	7.7	2.6	\$7,549	\$58
65+	122	27.3	4.5	\$8,736	\$238
<b>Injury: Hip Fracture</b>					
Total	38	1.0	6.3	\$13,118	\$13
65+	35	7.8	6.1	\$12,083	\$95
<b>Injury: Poisonings</b>					
Total	11	.	.	.	.
18-44	5	.	.	.	.
<b>Psychiatric</b>					
Total	169	4.2	6.4	\$4,052	\$17
<18	23	2.5	6.8	\$3,971	\$10
18-44	95	5.2	6.4	\$3,699	\$19
45-64	25	3.2	4.8	\$3,784	\$12
65+	26	5.8	7.2	\$5,672	\$33
<b>Coronary Heart Disease</b>					
Total	205	5.1	3.6	\$13,903	\$72
45-64	46	5.8	3.0	\$13,764	\$80
65+	149	33.3	3.9	\$14,324	\$477
<b>Malignant Neoplasms (Cancers): All</b>					
Total	125	3.1	5.7	\$12,707	\$40
18-44	22	1.2	8.4	\$19,844	\$24
45-64	40	5.1	4.8	\$11,515	\$58
65+	61	13.6	5.2	\$10,901	\$149
<b>Neoplasms: Female Breast (rates for female population)</b>					
Total	16	.	.	.	.
<b>Neoplasms: Colo-rectal</b>					
Total	12	.	.	.	.
65+	10	.	.	.	.
<b>Neoplasms: Lung</b>					
Total	11	.	.	.	.
<b>Diabetes</b>					
Total	27	0.7	3.8	\$8,082	\$5
65+	13	.	.	.	.

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Alcohol-Related</b>					
Total	87	2.2	4.5	\$2,889	\$6
18-44	47	2.6	3.4	\$2,336	\$6
45-64	31	3.9	5.6	\$3,495	\$14
<b>Pneumonia and Influenza</b>					
Total	124	3.1	4.6	\$7,006	\$22
<18	25	2.7	2.1	\$2,253	\$6
45-64	19	.	.	.	.
65+	69	15.4	5.1	\$7,204	\$111
<b>Cerebrovascular Disease</b>					
Total	78	2.0	3.6	\$6,911	\$14
45-64	14	.	.	.	.
65+	63	14.1	3.8	\$6,170	\$87
<b>Chronic Obstructive Pulmonary Disease</b>					
Total	69	1.7	3.2	\$4,571	\$8
<18	5	.	.	.	.
18-44	9	.	.	.	.
45-64	15	.	.	.	.
65+	40	8.9	4.2	\$5,938	\$53
<b>Drug-Related</b>					
Total	19	.	.	.	.
18-44	5	.	.	.	.
<b>Total Hospitalizations</b>					
Total	3,719	93.3	3.4	\$6,325	\$590
<18	669	71.9	2.5	\$2,235	\$161
18-44	1,081	59.5	2.9	\$5,295	\$315
45-64	633	80.1	3.4	\$7,950	\$636
65+	1,336	298.5	4.3	\$8,436	\$2,519

## PREVENTABLE HOSPITALIZATIONS\*

	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Total	511	12.8	3.5	\$5,263	\$67
<18	67	7.2	1.9	\$1,979	\$14
18-44	59	3.2	3.3	\$8,513	\$28
45-64	85	10.7	3.2	\$4,669	\$50
65+	300	67.0	4.1	\$5,526	\$370

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2000 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.